

Effectiveness tested against Coronavirus

Fixed wall mounting



UNI EN
14476:2019

baua:
Technisches Institut für Bautechnik
N-97671

With micro-particles, the sanitizing steam **penetrates every silt and surface, sanitizing totally the air and the environment**, taking care of the safety and health protection, ensuring in complete autonomy sanitization **up to 8 months**.

The virucidal efficacy of the sanitizing liquid used by **Sany Safe is certified** in the laboratory and complies with the European standard **UNI EN 14476: 2019**.





SANY SAFE XL

48
cm
35,3
16,6



SANY SAFE L

35,8
cm
26,4
16,6

Living in a safe and healthy environment it's essential.

SANY SAFE is the solution: a powerful sanitiser that, by spreading in the air by a hot vaporization /aerosolization, **thoroughly sanitises any environment**, depositing uniformly on all surfaces of the room, with maximum reliability and safety.

The special non-toxic formulation of the sanitizer is able to safely eradicate pathogens such as viruses, germs, bacteria, fungi and molds. The mixture atomized in the air persists for several hours, breaking down any particles, even the smallest ones and reaching the most inaccessible places.

The sanitization time varies according to the size of the room by the chosen intensity (low, medium and high) and allows sanitizations even up to 8 months.

It is recommended to associate the normal cleaning procedures and environmental optimization with the onsite sanitization treatment, as per the provisions given by the WHO (World Health Organization).



Why Sany Safe?



Effectiveness of environmental sanitization at 360°

The sanitization technique used with **hot vaporization / aerosolization**, allows to spread in the environment invisible micro-particles that atomized in the air, are **capable to penetrate in every silt, eradicating all bacteria, viruses, germs, fungi and molds already present in the air and on surfaces.**



Certification UNI EN 14476:2019 against Coronavirus

The virucidal efficacy of the sanitizing liquid used by **Sany Safe is certified** in the laboratory and complies with the European standard **UNI EN 14476: 2019.**



Ready to use

Connect SANY SAFE to the electricity and you will get at any time an automatic sanitization of your environments, **thanks to the weekly pre-programming.**



SIM CARD included

You won't have to worry about buying a SIM CARD; for 2 years AVS Electronics **provides a data SIM CARD** for the remote SANY SAFE management. (available for EU countries).



Easy to program by the APP

SANY SAFE has a programmed weekly schedule, which allows an immediate use. Thanks to the simple and intuitive configuration APP, you can, at any time, **manage SANY SAFE and customize volumes, frequency and intensity of the system.**



Long autonomy, up to 8 months

SANY SAFE, depending on chosen type of sanitization and of the tank size installed, it is able to ensure an **autonomy** that can reach even **up to approximately 8 months.**



Energy saving

SANY SAFE has been designed to dynamically manage consumption. During the time slots when the steam diffusion is not performed, SANY SAFE activates the standby mode, turning off and **saving energy.**



No toxic, freshness in the air!

The mixture atomised in the air does **not present any toxicity** (University of Turin Tests) and releases into the environment a pleasant fragrance of freshness. It is however recommended to ventilate the premises before to join it.



Tank replacement in autonomy

The external tank has been designed to allow the user an independent and **quick replacement in total autonomy.** It is available in different sizes: **5, 10 or 25 liters** to perform many sanitization cycles, according to your needs.



Technical features	SANY SAFE L	SANY SAFE XL
Coverage volumes	from 20 m ³ to 300 m ³	from 100 m ³ to 600 m ³
Tanks available	5 L - 10 L - 25 L	
Sanitization efficacy Once a day	low intensity: workplaces with only the presence of their staff	
	medium intensity: places with controlled public attendance	
	strong intensity: places with uncontrolled crowds	
Programming by APP	Environment volume	
	Sanitization intensity	
	Sanitization time scheduling	
	4 times/days sanitization time scheduling	
	Time zone	
User management by APP	Manual activation/deactivation of sanitization	
	Manual activation/blocking of sanitization in progress	
	Activation/reactivation of sanitization cycle	
	Disable sanitization for n° of days	
	Visualization of sanitizations carried out and available	
	Faults visualization	
Installation	Fixed wall mounting	
Power supply	230 Vac / 110 Vac (optional on request)	
With embedded XGSM (2G) module or XGSM 4G module	GPRS always connected with CLOUD	
	Programming configuration parameters with APP Sany Safe	
	User management with APP Sany Safe	
	Automatic time synchronization in GPRS	
Sim Card	Sim Card Included and active for 2 YEARS (available for all EU countries)	
Dimensions (LxHxD) mm	264 x 358 x 166	353 x 480 x 166
Weight Kg.	12	18,5

Sany Safe is not a MSD (Medical Surgical Device)

Download the documentation



Brochure



Certification
UNI-EN-14476-2019



sanySAFE.it

Discover the complete range of Sany Safe

